

# THE CAMERA CRAFTSMAN

Vol.	Year	Issue	Article
15	1969	1 Jan/Feb	F Feature
16	1970	2 Mar/Apr	S Sub-Feature
17	1971	3 May/Jun	T Technical Forum
18	1972	4 Jul/Aug	DE Data Exchange
19	1973	5 Sep/Oct	P Personality
20	1974	6 Nov/Dec	M Miscellaneous
21	1975		
22	1976		
23	1977		
24	1978		

## INDEX TO TECHNICAL ARTICLES 1969-1978

Item	Vol.	No.	Item	Vol.	No.
Aerial Cameras, A Primer	F	15	5	Part IV	
Part II	F	15	6	Conclusion	
Agfamatic 300 Sensor	F	19	4	Canon Auto Zoom 518 Movie Camera	
Agfamatic 2000 Sensor, The	S	21	1	Canon Auto Zoom 814, disassembly	
Agfa Microflex Sensor, The	F	16	4	Canon Demi C, shutter disassembly	
Agfa Movex SV Autoload, disassembly	DE	22	1	Canon Demi EE17, transport access	
Agfa Optima II (and similar models), exposure adjustment				Canon Denis (S), shutter access	
Aires 35-III, disassembly	DE	17	4	Canon FL 50mm 1:1.4 lens	
Aires Viscount, disassembly	DE	17	5	Canon F-1, Part I	
Alpa 6C, disassembly	TF	17	3	Part II	
Ampro 8 Model 350, disassembly	TF	17	4	Part III	
Angle of View	DE	18	1	Canon FT, FTb, and TLb, meter adjustment	
ANSI Standards	S	22	2	Canon Lens FD (50mm 1:1.8 C.C.)	
ANSI Standards	M	20	4	Canon in New York, discussion with	
Argus A-5	M	20	5	Canon MF Motor Drive, Part I	
Argus Autronic II	DE	18	2	Part II	
Argus Pocket Carefree 110	DE	22	2	Canon Model Vt deluxe, cover plate removal	
Argus Showmaster 822, Super-8	F	19	4	Canonflex camera, disassembly	
Argus V - 100, shutter removal	TF	15	1	Canonet 35mm — Horizontal Range Finder	
Auto Aragon Lens 135mm, disassembly	DE	18	2	Adjustment	
Autocollimator Test Techniques	DE	18	5	Cartridge Cameras, Repairing	
Autocollimator, Use of Cine Speeds Testing for	SF	24	3	Classic Cameras, Collecting and Repairing	
Auto Nikkor Lens, 50mm f/1.4	DE	24	4	Cleaning Hint (Ultrasonic cleaners)	
Auto Yashinon-DX, f/4/80 - 160mm zoom disassembly	F	19	5	*Compur Electronic and Its Secrets, Part III	
Auto Yashinon f/1.8 55mm lens, disassembly				Part IV	
Automatic Lens, Servicing the	TF	18	6	Compur Shutter for Kodak 4 x 5	
Auto System 7	M	22	4	Contaflex Beta model, disassembly	
Auto System 7	F	20	5	Contaflex Super, timing the exposure meter	
	M	20	5	Contax RTS, Normal Lens for	
	M	20	6	Copal Shutter, Canonet QL, delayed action escapement replacement	
Bags, Air	DE	21	5	Corbin Synchro Shutter, The	
Battery Tester, GT-3, product review	M	21	3	Cosinon Auto f/1.4 55mm lens, disassembly	
Beaulieu S2008, various removals	DE	21	6	Curtain Travel Time, Checking with the Comparascope or Motion Analyzer	
Bell & Howell/Canon Cine Canonet 8, disassembly	DE	17	5		
Bell & Howell Movie Camera Model 442 left-hand cover removal and meter cal.	DE	21	1	Dacora-Matic 4-D, shutter removal	
Bell & Howell Servo-mechanism	S	16	6	DeJur D1, top cover removal	
Bell & Howell Zoomatic Double 8, motor mech. removal	DE	22	1	Diaphragm blades, cleaning	
Berthoit Paris Pan-Cinor 1:3, F=25-100mm disassembly for focus adjustment				Digital Electronics, Part 1, A Basic Course In Part II	
Beseler Topcon Auto 100	M	15	6	Part III	
Bitco Super Vemar f/12.8 35mm lens, disassembly	SF	24	3	Part IV	
Bond-Fix and Bond-Solv, product review	TF	16	1	Dry Moly Application	
Braun AMC Reflex M335, disassembly/reassembly	M	21	3	Electro Optical Components, Sec. 1	
Braun Paxette Automatic Super III, disassembly	TF	16	5	Electro Optical Components, Sec. 2	
Bronica Nikkor-P f/2.8 7.5cm lens	DE	19	5	Electronic Flash Testing, New Tool Designs	
Bronica S-2, mirror replacement	TF	18	3	Electronic Flash Capacitor Shorting	
Burglar Alarm, Inexpensive	DE	17	6	Resistor & Battery Test Load Resistor	
	DE	23	5	Electronic Shutters, Seiko Type, Testing with the Comparascope	
Canon AE-1 Workshop Feature	S	23	2	Electronics in cameras	
Canon AE-1, Part I	F	23	4	Elmarit-R 28mm f/2.8 lens, disassembly	
Part II	F	23	5	Elmar 90mm f/4 lens, disassembly	
Part III	F	23	6	Elmo C300 Super-8 Camera, side cover	
				Eumig C-16, disassembly	
				Eumig Mini 3 Zoom Reflex	

	Item	Vol.	No.		Item	Vol.	No.
Eumig MK S, 8mm sound projector, motor removal	DE	22	1	Kodak's New Pocket Instamatics	S	18	3
Exa IIa, Disassembly	DE	24	1	Kodak Pocket Instamatic 20	DE	20	1
Exakta delayed-action and shutter speed operation instruction	TF	15	4	Kodak Pocket Instamatic (20,30,40), mechanism plate	DE	22	2
Exakta, Old Models, shutter repair	DE	21	4	Kodak's Instant Cameras	S	22	3
Exakta RTL 1000	S	23	4	Kodak XL55 Super 8 Movie Viewfinder	DE	20	3
Exakta RTL 1000, right side cover removal	DE	20	4	disassembly	DE	21	1
Exakta VXiIIa Pentaprism Viewfinder, disassembly and cleaning	DE	20	3	Konica Autoreflex T-Sync terminal replacement	DE	22	5/6
Exposure Control on Still Cameras, Part I	F	17	2	Konica Autoreflex T-2, top cover removal	F	22	2
Part II	F	17	3	Konica Autoreflex T-3, Part I	F	22	3
Exposure Value Nomograph	DE	22	5/6	Part II	F	22	4
				Part III	DE	18	3
Far-Out Lenses	F	20	5	Konica Auto S-2	TF	16	1
Film (Super 8) Cartridge Modification, for movie camera speed tests	DE	17	5	Konica Auto S-2, shutter removal	SF	24	4
Flange-Focal Distances (in millimeters)	M	21	6	Konica C35, Servicing	DE	22	5/6
Flash Tester, Simple Camera	DE	21	2	Konica EE Ring, problem with	TF	16	6
Flash Testing Connector	DE	21	3	Konica FS SLR, disassembly for shutter access	DE	21	4
Flash Units, Energy Conserving, from Quench Tubes to Series-Thyristor	F	21	6	Konica Hexanon 1.8/52mm lens	DE	17	6
Flexiclamp, lenses too large for	DE	17	6	Konica Model FS, disassembly	M	22	4
Flexiclamp, slim adaptation	DE	21	2	Kowa 50mm f/1.8 lens (SE, SET), diaphragm cleaning	TF	16	6
Focal Reflex Zoom 900F, disassembly	DE	22	3	Kowa SE f/1.9, 50mm lens disassembly	TF	18	3
Fujica Half, shutter removal	TF	15	3	Kowa SE SLR, f/1.9 50mm lens, disassembly	M	22	2
Fujica ST 701, film advance return	DE	21	5	Kowa/SIX 2 1/4 SLR, light trap sticking solved	DE	18	1
Fujica ST 801, Part I	F	19	6				
Part II	F	20	1	Leicaflex, Part I, The	F	22	4
Fuses in Electrical and Electronic Equipment	S	21	3	Part II	F	22	5/6
				Leica M-5	F	20	2
GAF Colt 94 Super 8 f/1.7	DE	20	2	Leicas, the M-Series	F	19	3
GAF S5250XL Super 8 Movie Camera, Part I	F	22	5/6	Leica II (D), disassembly	DE	22	1
Part II	F	23	1	Leica IIIIF, Self-timer timing	DE	22	1
Part III	F	23	2	Leitz Elmar f/5 cm 1:3.5 lens, disassembly	M	22	2
Part IV	F	23	3	Leitz Hektor f/4.5 135mm lens, removing diaphragm	TF	17	2
GAF Two Sixty Six, top cover removal	DE	19	3	Leitz Summarit F-5 1:2 Collapsible lens, disassembly	M	22	3
Gap Gages	DE	22	4	Lens Filter Flange, straightening	DE	18	1
Glue, Hot-Melt Application	DE	24	2	Lens Flange to Film Plane Distance, measure	F	21	3
Gossen Luna Pro, Repair and Calibration of the	DE	23	6	Lens Mensuration Fixtures, How to Use NC	F	17	1
Gossen Lunasiz, Adjusting	F	16	5	Lens Performance, Measuring	S	21	1
Grabber, The, product review	M	21	3	Lenses - Special Issue	S	20	5
Graflex 120 Roll Film Holder, top cover removal	DE	22	2	Lip-Sync Super 8	S	20	2
Graflex 220 roll film holder, reassembly	TF	15	6				
				Mamiya Auto Lux 35, disassembly	TF	18	1
Hanimex Praktica Nova 1B, disassembly	TF	16	2	Mamiya C-220 TLR, transport	DE	18	4
Hasselblad Distagon, Removal of Synchro-Compur 0-MXV Shutter	S	21	2	Mamiya "Family" model SLR, shutter removal	TF	16	4
Hasselblad EL: Motor, mirror cage & gear box removal	DE	22	1	Mamiya RB 67 disassembly	DE	19	4
Hasselblad 250mm Sonnar, f/5.6	S	20	6	Mamiya RB 67 - 120 disassembly	DE	24	3
Hasselblad Zeiss Planar 1:2.8 80mm lens	S	20	4	Mamiya/Sekor C-220	DE	21	2
Heathkit's Self-Study Programs in Electronics	S	23	5	(and C-330)	DE	21	5
Honeywell Auto/Strobonar 772	F	19	2	Mamiya Sekor f/1.7 58mm lens, removing diaphragm	TF	17	1
Honeywell Lumetar Lens	F	20	5	Mamiya Sekor 500 TL	DE	18	5
Honeywell Pentax ES, Part I	F	19	5	Mamiya 500-1000 DTC	DE	20	4
Part II	F	19	6	Mercury Batteries, voltage characteristics	DE	17	4
Honeywell Pentax 6 x 7, tightening PC terminal	DE	18	3	Metrology of a Simple Lens, The	S	22	4
Honeywell Pentax 1 1/21" Meter, Disassembly	DE	23	1	Miida Automatic Zoom f/3.8 75-205mm, disassembly	M	22	1
Honeywell SMC Takumar 55mm Lens	F	20	5	Minolta B, The	S	23	6
				Minolta Autocord, Focusing Lever Replacement	DE	21	4
Index, Technical Forum (1962 - 1971)	TF	18	5	Minolta Auto-Rokkor PF, 55mm f/1.8 lens	M	22	5/6
Inside Front Shutters, Part I	F	16	6	Minolta Auto-Rokkor-PF 55mm f/2 len	DE	17	5
Part II	F	17	1	disassembly	DE	21	2
Keystone 8mm K610	DE	19	6	Minolta Auto-Rokkor-PG F 1.2 58mm Lens	DE	17	4
Keystone 808 Movie Camera	S	22	5/6	Minolta Auto-Wide, disassembly	F	18	5
Keystone K-430 Movie Camera	TF	17	1	Minolta Hi-Matic E, Part I	F	18	6
Keystone K716p Super 8mm, disassembly	DE	19	5	Part II	F	18	6
Kodak Auto 35F	DE	18	5	Minolta (normal) Lenses, Diaphragm Cleaning	DE	21	2
Kodak Carousel Illumination System	S	17	4	Minolta Hi-Matic 7s	TF	18	4
Kodak Ektasound 140 Movie Camera	DE	24	2	Minolta SR-M, disassembly	DE	22	3
Kodak Ektasound 245 Movie Projector	DE	24	2	Minolta SRT 101 f/1.4 Auto Rokkor RP Lens	DE	21	1
Kodak Cine-Special 1, disassembly	DE	17	6	Miranda D, disassembly and timing	DE	17	4
Kodak Instamatic 400, disassembly	TF	15	3	Miranda f/1.9 lens, disassembly	DE	19	5
Kodak Instamatic M16 Movie	DE	20	2	Miranda Sensomat, disassembly	DE	20	3
Kodak M-12, disassembly	DE	20	1	Miranda Sensomat, fail to hold time	DE	21	5
Kodak Model 800 Instamatic, check focus	DE	20	4	Mirrors, Silvering, process	S	21	2
Kodak M-67 Projector, replacement framer	DE	22	1	Multispan/Minispan Holder	DE	23	5
				Multispan Modification	DE	21	3
				Multispan Tips, matching pairs	DE	17	4

	Item	Vol.	No.		Item	Vol.	No.
Multispan Wrench, modification	DE	20	1	Sankyo-Moviemat 8mm lens, disassembly	TF	16	2
Multispan Wrench, modification for large cameras	DE	17	5	Sawyers Mark IV TLR, Seikosha shutter	DE	20	2
Navy Camera Repair (a report)	S	22	4	Schneider-Kreuznach Xenon f/1.9 50mm lens, removing diaphragm	TF	17	2
Nikkor P Auto 2.5/105mm diaphragm leaf	DE	21	5	Screw Shaft, repairing end thread	DE	17	4
Nikkor P 105mm f/2.5 (new style) Lens	DE	21	5	Sears Easi-Load EE 126-X, lens adjustment	DE	22	5/6
Nikkor P 180mm f/2.8 Lens	S	22	3	Sears Model c/31 Super 8, left side cover	DE	21	4
Nikkor Q Auto 1:4 20cm Lens	M	21	4	Seiko Type Electronic Shutters (see electronic shutters)			
Nikkor S Auto 1:1.4 F = 50mm Lens disassembly	M	21	5	Sekonic Auto-Leader (Mod. 38) light meter, disassembly	DE	20	4
Nikkor Tele-Zoom Lenses, focus lock	M	21	5	Shim Stock Substitute	DE	22	1
Nikkorex (Model with Seikosha SLV Shutter), disassembly	DE	17	6	Shutter Error Conversion Table	M	18	5
Nikkormat FTN, disassembly	DE	19	3	Shutter Speed, Fast? Slow?	S	23	5
Nikkormat EL, Part I	F	24	5	Soligor Auto-Zoom f/4.5/90-230mm lens, disassembly	TF	19	2
Part II	F	24	6	Soligor Miranda 50mm f/1.9 lens, disassembly	M	22	4
Nikon F, Brake Tool	DE	21	6	Spanner Screwdrivers	DE	20	4
Nikon F2, The, Part I	F	18	3	Spanner Wrench 13mm	DE	23	1
Part II	F	18	4	Spring Holder	DE	21	3
Nikon F2	SF	24	3	Spring Hook Tool	DE	22	3
Nikon F2, DPI meter	DE	20	6	Springs, reinstalling	DE	18	6
Nikon F2DP-1 meter, correction to above	DE	21	3	Steinheil Auto-Quinaron f/2.8 35mm lens	DE	20	5
Nikon F2 X-Sync Malfunction	DE	24	6	Steinheil Macro-S-Quinon	DE	20	3
Nikon Nikkormat Fs, FT, FTn	S	23	3	1:1.9, 5mm lens	DE	19	5
Nikon Photomic FTn Finder	DE	23	2	Storage, small parts	DE	17	6
Nikon Photomic FT Viewfinder, cleaning lens	DE	20	3	Super-Multi-Coated Takumar f/1.4 50mm lens, disassembly	M	22	3
Nikon Photomic Light Meters	DE	21	5	Super Ricohflex TLR, shutter removal	TF	16	5
Nikonos flash systems	DE	19	6	Sync Module	M	20	5
Nikonos II, Notes on the	F	22	1	Sync Module, Hints on	DE	24	5
Olympus EE (35mm) top cover removal	DE	20	3	Technicolor Super VI TTL movie camera, disassembly	DE	22	3
Olympus OM-1, Part I	F	20	3	Testing Sensitive Meter Movements	DE	22	2
Part II	F	20	4	Threading, odd, formula	DE	17	4
Olympus OM-1 Update	F	24	2	Thyristor Electronic	F	17	6
Olympus OM-1 50mm f/1.4 Lens	S	20	2	Thyristor Flash (see flash units)	F	21	6
Olympus Quickmatic EEM, disassembly	DE	19	3	Tool Tips, Special Issue	TF	21	3
Paint Touch-Up Hint	DE	22	2	Tool Tray for Bench Use	DE	22	3
Pentax, see Honeywell				Topcon Super D, modification for meter switch	DE	22	5/6
Pentax Spotmatic F, calibration	DE	21	2	Topcon Super D/DM, Light Meter Calibration and Meter Timing	DE	24	3
Petri FT, access to meter switch	DE	18	2	Topcon (Beseler Topcon Auto 100)	F	24	3
Petri 135 Telephoto f/3.5, disassembly	DE	22	1	Topcon Uni (Beseler Topcon Auto 100)	DE	18	3
Perspective Adjusting Lens Mount for \$5.00	F	20	5	Tweezers, Beef Up Your	DE	22	3
Photographic Circuits, Basic	F	24	4	Vemar Tele-Zoom f/5.6 100-200mm, disassembly	M	21	3
Photographic Standards (ANSI)	S	23	2	Vivitar Movie T14 Super 8, access to trigger switch, zoom lens switches, printed circuit board and motor	DE	18	6
*Polaroid Electronic Shutter, Part I	F	16	2	Vivitar Series One Macro-Zoom lens	F	20	5
Part II	F	16	3	Voigtlander Bessamatic, notes	DE	18	4
Polaroid Focused Flash Unit	DE	19	3	Voigtlander Dynamatic II, shutter removal	TF	15	5
(also)	DE	19	5	Voigtlander Super-Dynaret f/4 135mm lens, disassembly	M	22	2
Power Supplies, DC and AC, product review	S	21	3	Voigtlander Vitomatic II, disassembly	DE	18	2
Praktica Super TL Exposure Meter	DE	24	6	Wards 704 Super 8, disassembly	TF	17	1
Probe, Gentle Wood	DE	22	3	Wollensak Eyematic Model 46, Meter replacement	DE	18	2
Proliner, product review	M	21	3	Workbench construction, suggestions	DE	17	5
*Pronto 500 Electronic, Part I	F	15	3	Yashica Electro 35, Tips on the	S	23	5
Part II	F	15	4	Yashica Lynx 5000 Rangefinder with Copal SV Shutter	DE	18	1
Prontor 500 LK, shutter cocking tool for	DE	19	6	Yashica Super 30 Electric, Disassembly	DE	20	2
Prontor's Integrated Circuits	S	16	4	Yashica Super 40K, disassembly	DE	21	6
Rangefinders, A New Method for Adjusting	F	20	1	Yashica TL Electro X, prism cover spring modification	DE	22	2
Ready Lamp Circuits	SF	24	1	Yashica TL Electro, top cover removal and meter adjust.	DE	22	1
Regula Reflex 2000 CTL	F	18	4	Zeiss Ikon Contina, disassembly	DE	22	5/6
Resolving Power of Photographic Lenses, Part I	F	18	1	Zeiss Jena Biotar 58mm lens, disassembly	TF	16	3
Part II	F	18	2	Zeiss Planar lens (see Hasselblad)			
Part III	F	18	3	Zelox Combi Test Instrument	M	20	3
Retina Reflex, The Enigma of the, Part I	SF	24	6	Zoom lens elements, easy handling	DE	18	6
Retina Shutter-Cocking Tool	DE	18	3				
Revue 6.6, Disassembly	DE	24	3				
Ricoh 500, Seikosha MXL Shutter	DE	20	2				
Ricoh 126-Flex TLS, disassembly	DE	22	4				
Ricoh S-2, disassembly	DE	18	6				
Ricoh Super 8 800Z, removal of left side	DE	21	6				
Ricohmatic 44 TLR	DE	20	2				
Rollei Electronic Flash Units	F	18	2				
Rollei Flash Schematics, E15B, E19BC, E22C and E15	M	19	2				
Rollei Flash Units E15B and E19BC	S	19	2				
Rolleiflex E34C flash and E36RE flash	F	21	6				
Rolleiflex 2.8F—timing relationships	TF	18	2				
Rolleiflex SL 35	F	19	1				
Rollei Front-standard Tool	DE	22	3				

\*One of Four articles available in a reprint booklet priced at \$5.00.